


Customize to fit your needs

Options include:

Engine Oil Cooler
Remote High Volume Oil Filter
Oil Change Pump
Exhaust Elbow temp/shutdown
Sound Enclosure
High Output 12-Volt Alternator
Serpentine Engine Accessory Belt
Battery Combiner Circuits
Ample Power V3 Regulator
Centek Combo-Sep Exhaust Muffler
Centek Gen-Sep Muffler
Centek Verna-Lift Muffler
Auto Start & Shutdown Controller
Racor Primary Fuel Filter
Stainless Steel Exhaust Elbow
Remote Engine start/stop Panel




9714 S. 205th Ct
Kent, WA 98031
206-295-3058


Grizzly@comcast.net



Grizzly Generators




Dependable High Output
Marine DC Generators



**DC POWER WHEN
AND WHERE YOU
NEED IT**

Phone: 206.295.3058

Generator Features and Options



Quality in Design

The Grizzly DC Generator is the toughest charging system available in the Marine or Off-Grid market for charging large banks batteries. The Heavy Duty **Leece Neville** alternator is coupled to the **Kubota** diesel engine with a serpentine drive belt & tensioner. The engine runs at 1800 rpm for maximum engine life, low fuel consumption and quite operation. The output of the alternator is controlled by a **Xantrex** programmable voltage regulator to provide the optimum rate of charge and voltage for your specific battery bank. An automatic shutdown system protects the engine from damage caused by overheat or low oil pressure.

Ease of Use & Service

The engine is equipped with a pre-heat circuit for easy starts in cold conditions as well as a timed unloader on the voltage regulator to allow the engine to run for 1 minute when it is started before the alternator is ramped up to full charge output. Engine service points are easily accessed to make it easy for owners to provide service as required. The engine bed is mounted on vibration isolation mounts to minimize the transfer of vibration to the vessel.

Dependability

The Grizzly Generators engine and alternator system is designed for longevity and trouble free operation. The **Amsoil** Synthetic engine oil provides extended oil change intervals and improved engine life. The heavy duty **Leece Neville** alternators are designed for the high demands of Emergency Vehicles and School Bus operations where heavy loads and extended low engine speed are the normal. Serpentine Belt systems provide quiet efficient transfer of power from the engine to the alternators.

Standard Models

Grizzly 12 volt-185 amp

Grizzly 12 volt-370 amp

Grizzly 24 volt-200 amp

Custom Models are available to fit most any voltage and amperage.

The **Kubota** diesel engines are provided a 3 year / 2000 hour warranty and the alternators are provided a 1 year warranty from the date of purchase. By combining the components from **Kubota** and **Leece Neville** service parts or replacement components are available most anywhere in the world. The Grizzly owners manual provides the manufactures part numbers as well as the international distribution phone numbers. We have taken great strides to keep the Grizzly generator as simple to use and service as possible. With proper care and maintenance your Grizzly DC Generator will give you years of trouble free service.

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.